

2.2. Label elements

Pakex (UK) Plc, No 1, Prime Point, Bessemer Road, Welwyn Garden City, Herts, AL7 1FE Tel: 01707 384858 | Fax: 01707 332838 | web: www.pakexuk.com

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

Pine Acid Toilet Cleaner

Revision 5 Revision date 2016-02-19

| SECTION 1: Identification of the substance/mixture and of the company/undertaking | | | | |
|--|--|--|--|--|
| 1.1. Product identifier | | | | |
| Product name | Pine Acid Toilet Cleaner | | | |
| Product code | QAFS022 | | | |
| 1.2. Relevant identified uses of the substance or mixture and uses advised against | | | | |
| Product Use | [SU21] Consumer uses: Private households (= general public = consumers); | | | |
| | [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); | | | |
| | | | | |
| | [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; | | | |
| Description | No data is available on this product. | | | |
| 1.3. Details of the supplier of the | he safety data sheet | | | |
| Company | Pakex (UK) Plc, | | | |
| Address | No 1, Prime Point, Bessemer Road, | | | |
| | Welwyn Garden City, | | | |
| | Herts, | | | |
| Web | AL7 1FE | | | |
| | www.pakexuk.com Tel: 01707 384858 | | | |
| Telephone Fax | Fax: 01707 332838 | | | |
| Email | sales@pakexuk.com | | | |
| 1.4. Emergency telephone nun | | | | |
| Emergency telephone number | 01707 384858 | | | |
| Emergency telephone number | 8.30am to 17.00pm | | | |
| SECTION 2: Hazards identi | fication | | | |
| 2.1. Classification of the subst | ance or mixture | | | |
| 2.1.1. Classification - | Xi; R36/38 | | | |
| 1999/45/EC | Symbols: Xi: Irritant. | | | |
| Main hazards | Irritating to eyes and skin. | | | |
| 2.1.2. Classification - EC 1272/2008 | EUH208; Skin Corr. 1B: H314; Aquatic Chronic 3: H412; | | | |

Revision 5 Revision date 2016-02-19

2.2. Label elements

Hazard pictograms Signal Word **Danger Hazard Statement** EUH208 - Contains benzisothiazolinone. May produce an allergic reaction. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. **Precautionary Statement:** P260 - Do not breathe dust/fume/gas/mist/vapours/spray. Prevention P264 - Wash hands and other contacted skin thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection. **Precautionary Statement:** P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse Response skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/. P363 - Wash contaminated clothing before reuse. **Precautionary Statement:** P405 - Store locked up. **Storage Precautionary Statement:** P501 - Dispose of contents/container to an approved waste contractor.

2.3. Other hazards

| Other hazards PBT not identified as a PBT substance. |
|--|
|--|

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Disposal

67/548/EEC / 1999/45/EC

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification | M-factor. |
|--|--------------|------------|-----------|------------------------------|-----------------|--------------------------|-----------|
| phosphoric acid %, orthophosphoric acid % (Orthophosphoric acid) | 015-011-00-6 | 7664-38-2 | 231-633-2 | 01-2119485924-24 | | C; R34 | |
| Propylene Glycol (Propane-1,2-dio total vapour and particulates) | ı | 57-55-6 | 200-338-0 | 01-2119456809-23 | | | |
| Glycerol (Glycerol, mist) | | 56-81-5 | | | | | |
| sodium hydroxide | 011-002-00-6 | 1310-73-2 | 215-185-5 | 01-2119457892-27 | | C; R35 | |
| Diphenyl ether (Diphenyl ether (vapour)) | | 101-84-8 | 202-981-2 | | | Xi; R36 N; R51/53 | |
| Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy | | 61827-42-7 | | | | Xi; R36 | |
| 1H-Imidazole-1-ethanol,4,5-dihydro -2-C15-C17 unsaturated alkyl |) | 61791-39-7 | 263-171-2 | | | C; R34 Xn; R22 N; R50/53 | |
| derivatives isobutyl acetate | 607-026-00-7 | 110-19-0 | 203-745-1 | | | F; R11 R66 | |

Revision 5 Revision date 2016-02-19

3.2. Mixtures

| F | \sim | 4 | 2 | 70 | n | n | nο | |
|---|--------|---|---|----|---|----|-----|--|
| | ١. | | | _ | ' | ., | חנו | |

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification | M-factor. |
|---|--------------|------------|-----------|---------------------------|-----------------|--|-----------|
| phosphoric acid %, orthophosphoric acid % (Orthophosphoric acid) | 015-011-00-6 | 7664-38-2 | 231-633-2 | 01-2119485924-24 | | Skin Corr. 1B: H314; | |
| Poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy | | 61827-42-7 | | | | Eye Irrit. 2: H319; | |
| Alkyloxypolyethyleneoxyethanol | | 68131-40-8 | | | | Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Acute Tox. 4: H332; | |
| 1H-Imidazole-1-ethanol,4,5-dihydro -2-C15-C17 unsaturated alkyl derivatives | | 61791-39-7 | 263-171-2 | | | Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Chronic 1: H410; | |

| _ | | | | |
|---|--------|-------|------|-------|
| | ırther | ' int | arm: | ation |
| | | | | |

| Product Shelf Life | RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY. |
|---------------------------|--|
| Active Ingredients | Ingredients Pine Acid Toilet Cleaner - Orthophosphoric Acid, Less than 5% Non-ionic Surfactants, |
| | Less than 5% Cationic Surfactants, Benzisothiazolinone, Parfum. |

SECTION 4: First aid measures

4.1. Description of first aid measures

| Inhalation | Move the exposed person to fresh air. |
|--------------|--|
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses |
| | should be removed. |
| Skin contact | Remove contaminated clothing. Wash off immediately with plenty of soap and water. |
| Ingestion | DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested |
| | product. |

4.2. Most important symptoms and effects, both acute and delayed

| Inhalation | Causes burns. | |
|--------------|---|--|
| Eye contact | Causes burns. Risk of serious damage to eyes. | |
| Skin contact | Causes burns. | |
| Ingestion | Causes burns. | |

4.3. Indication of any immediate medical attention and special treatment needed

| Inhalation | Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance. |
|--------------|--|
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Skin contact | Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Ingestion | Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |

General information

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

Revision 5 Revision date 2016-02-19

| | NOVISION date 2010 02 1 |
|---------------------------------|---|
| 5.3. Advice for firefighters | |
| | Wear suitable respiratory equipment when necessary. |
| Further information | · |
| | In the event of a fire and/or explosion do not breath fumes. Standard procedure for |
| | chemical fires. Use extinguishing measures that are appropriate to local circumstances |
| | and the surrounding environment. |
| SECTION 6: Accidental rele | ease measures |
| 6.1. Personal precautions, pro | tective equipment and emergency procedures |
| | Wear suitable protective equipment. |
| 6.2. Environmental precaution | s |
| | Advise local authorities if large spills cannot be contained. |
| 6.3. Methods and material for | containment and cleaning up |
| | For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, |
| | labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For |
| | small spills:. Flush down the drain with plenty of water. |
| 6.4. Reference to other section | 18 |
| | See section 2, 7, 8, 13 for further information. |
| SECTION 7: Handling and | storage |
| 7.1. Precautions for safe hand | ling |
| | Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing. |
| 7.2. Conditions for safe storag | je, including any incompatibilities |
| | Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. |
| | Store in original container. |
| 7.3. Specific end use(s) | |
| | No data is available on this product. |
| Suitable packaging | • |
| | Plastic containers. |
| SECTION 8: Exposure con | trols/personal protection |
| 8.1. Control parameters | |
| | |
| | Occupational exposure controls. |
| 8.1.1. Exposure Limit Values | |
| | |

Revision 5 Revision date 2016-02-19

8.1.1. Exposure Limit Values

| Diphenyl ether (Diphenyl ether (vapour)) | WEL 8-hr limit ppm: 1 | WEL 8-hr limit mg/m3: 7.1 |
|---|--|---|
| (vapou. _{//} | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |
| Glycerol (Glycerol, mist) | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: 10 |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |
| sobutyl acetate | WEL 8-hr limit ppm: 150 | WEL 8-hr limit mg/m3: 724 |
| | WEL 15 min limit ppm: 187 | WEL 15 min limit mg/m3: 903 |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |
| phosphoric acid %, | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: 1 |
| orthophosphoric acid % Orthophosphoric acid) | | |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: 2 |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |
| Propylene Glycol | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: 10 |
| (Propane-1,2-diol particulates) | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | • • | _ |
| | WEL 8-hr limit mg/m3 total - inhalable dust: | WEL 15 min limit mg/m3 total - inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |
| Propylene Glycol | WEL 8-hr limit ppm: 150 | WEL 8-hr limit mg/m3: 474 |
| (Propane-1,2-diol total vapour | The second secon | • |
| and particulates) | | |
| · | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |
| sodium hydroxide | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: - |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: 2 |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

Revision 5 Revision date 2016-02-19

8.2. Exposure controls

| Eye / face protection | Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields | |
|-------------------------------|---|--|
| Skin protection - | Rubber gloves. | |
| Handprotection | | |
| Respiratory protection | No personal respiratory protective equipment normally required. In case of insufficient ventilation | |
| | wear suitable respiratory equipment. | |
| 8.2.3. Environmental exposure | Prevent further leakage or spillage if safe to do so. | |
| controls | | |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | Liquid |
|---------------------------|---------------------|
| Colour | Clear |
| Odour | Characteristic |
| Odour threshold | No data available |
| рН | 0.3 - 2 |
| Melting point | No data available |
| Initial boiling point | No data available |
| Flash point | No data available |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Vapour pressure | No data available |
| Vapour density | No data available |
| Relative density | 1.068 - 1.076 g/cm3 |
| Partition coefficient | No data available |
| Autoignition temperature | No data available |
| Viscosity | < 400 centipoise |
| Explosive properties | No data available |
| Oxidising properties | No data available |
| Solubility | Soluble in water |

9.2. Other information

| Conductivity | No data available | |
|----------------------|-------------------|--|
| Surface tension | No data available | |
| Gas group | No data available | |
| Benzene Content | No data available | |
| Lead content | No data available | |
| VOC (Volatile org | anic No data | |
| available compounds) | | |

SECTION 10: Stability and reactivity

| 1 | 0. | 1 | | R | ea | C | ti | vi | tγ |
|---|----|---|--|---|----|---|----|----|----|
|---|----|---|--|---|----|---|----|----|----|

| | Stable under normal conditions. No specific reactivity hazards associated with this product |
|--------------------------------|---|
| 10.2. Chemical stability | |
| | Stable under normal conditions. No particular stability concerns. |
| 10.3. Possibility of hazardous | reactions |
| | Strong acids. Strong oxidising agents. |
| 10.4. Conditions to avoid | |
| | Protect from frost. |
| 10.5. Incompatible materials | |

Revision 5 Revision date 2016-02-19

| | Revision date 2016-02-19 |
|-----------------------------------|--|
| 10.5. Incompatible materials | |
| | No incompatible groups noted. |
| 10.6. Hazardous decompositio | n products |
| | No Hazardous decomposition products when stored and handled correctly. Burning |
| | produces irritating, toxic and obnoxious fumes. |
| SECTION 11: Toxicological | information |
| 11.1. Information on toxicologi | ical effects |
| Skin corrosion/irritation | Causes burns. |
| Serious eye damage/irritation | Causes serious eye damage. |
| Respiratory or skin sensitisation | Not anticipated under normal conditions of use. Causes burns. |
| Repeated or prolonged | Causes burns. Prolonged contact may cause defatting of the skin. Danger of serious damage to |
| exposure | health by prolonged exposure. |
| 11.1.2. Mixtures | |
| | No data available. |
| 11.1.3. Hazard Information | |
| | No data available. |
| 11.1.4. Toxicological Information | on |
| | No data available |
| SECTION 12: Ecological inf | formation |
| 12.1. Toxicity | |
| | No data available |
| 12.2. Persistence and degrada | bility |
| | Substance biodegrades at a moderate rate and inherently biodegradable according to the |
| | OECD guide lines. |
| 12.3. Bioaccumulative potentia | al |
| | <u> </u> |
| | No data is available on this product. |
| Partition coefficient | |
| | Pine Acid Toilet Cleaner No data available sodium hydroxide No data available |
| | Poly(oxy-1,2-ethanediyl), Not |
| | applicable. alpha-isodecyl-omega-hydroxy |
| 12.4. Mobility in soil | |
| | No data is available on this product. |
| 12.5. Results of PBT and vPvB | assessment |
| | No data is available on this product. |
| 12.6. Other adverse effects | |
| | No data available. |
| SECTION 13: Disposal con | siderations |
| 13.1. Waste treatment methods | S . |
| | Dispose of waste and residues in accordance with local authority requirements. |
| General information | · |
| | Dispose of in compliance with all local and national requirements. |
| | |

Revision 5 Revision date 2016-02-19

| Disposal of packaging | Revision date 2016-02-19 |
|---------------------------------|--|
| Disposal of packaging | De NOT access and to a reference Franchis and the second and the s |
| | Do NOT reuse empty containers. Empty containers can be sent to landfill after |
| | cleaning, if in compliance with local and national regulations. |
| SECTION 14: Transport inf | ormation |
| Hazard pictograms | |
| | |
| 14.1. UN number | |
| | UN1760 |
| 14.2. UN proper shipping name | e |
| | CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid) |
| 14.3. Transport hazard class(e | rs) |
| ADR/RID | 8 |
| Subsidiary risk | - |
| IMDG | 8 |
| Subsidiary risk | - |
| IATA | 8 |
| Subsidiary risk | - |
| 14.4. Packing group | |
| Packing group | III |
| 14.5. Environmental hazards | |
| Environmental hazards | No |
| Marine pollutant | No |
| ADR/RID | |
| Hazard ID | 80 |
| Tunnel Category | (E) |
| IMDG | |
| EmS Code | F-A S-B |
| IATA | |
| Packing Instruction (Cargo) | 856 |
| Maximum quantity | 60 L |
| Packing Instruction (Passenger) | 852 |

SECTION 15: Regulatory information

5 L

Maximum quantity

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| Regulations | REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. |
|-------------|---|
|-------------|---|

Revision 5 Revision date 2016-02-19

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

| Revision | This document differs from the previous version in the following areas:. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Hazard Statement. | | |
|--|---|--|--|
| Text of risk phrases in Section 3 | | | |
| | R35 - Causes severe burns. R36 - Irritating to eyes. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R66 - Repeated exposure may cause skin dryness or cracking. | | |
| Text of Hazard Statements in Section 3 | · · · · · · · · · · · · · · · · · · · | | |

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.