

Pakex (UK) Plc, No 1, Prime Point, Bessemer Road, Welwyn Garden City, Herts, AL7 1FE Tel: 01707 384858 | Fax: 01707 332838 | Email: <u>sales@pakexuk.com</u> / web: <u>www.pakexuk.com</u>

## SAFETY DATA SHEET CLEENOL LIFT HONEYSUCKLE AIR FRESHENER

<b>SECTION 1: Identification</b>	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	CLEENOL LIFT HONEYSUCKLE AIR FRESHENER
1.2. Relevant identified us	ses of the substance or mixture and uses advised against
Identified uses 1.3. Details of the supplier sheet	Cleaning agent. of the safety data
Supplier	Pakex (UK) Plc 1 Prime Point Bessemer Road Welwyn Garden City Herts AL7 1FE Tel : +44 (0)1707 384858 Fax : +44 (0)1707 332838 sales@pakexuk.com
1.4. Emergency telephone	e number
Emergency telephone	Poisons Information Specialist National Poisons Information Service Birmingham B18 7QH Tel: 0121 507 5122
SECTION 2: Hazards iden	tification
2.1. Classification of the	substance or mixture
Classificatio n	

<u>n</u>	
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards 2.2. Label elements	Not Classified
Hazard statements	NC Not Classified

Precautionary statements	P102 Keep out of reach of children. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Dispose of contents / containers as normal waste			
2.3. Other hazards				
Other Hazards	None			
SECTION 3: Composition/int	formation on ingredients			
3.2. Mixtures				
PROPAN-2-OL				5-10%
CAS number: 67-63-0	EC number: 200-66	1-7	REACH registration number: 01- 2119457558-25-0000	
Classification Flam.Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336 STOT SE 3 - H336		Classification (67/ F;R11 Xi;R36 R67	548/EEC or 1999/45/EC)	
FATTY ALCOHOL ETHOXY CAS number: 160901-19-9	LATE			1-5%
<b>Classification</b> Eye Dam.1 - H318 Acute Tox. 4 - H302		Classification (67/ Xn;R22. Xi;R41.	548/EEC or 1999/45/EC)	
BENZALKONIUM CHLORIDE CAS number: 68424-85-1	M factor (Chronic) =	1		<1%
M factor (Acute) = 10 Classification Met. Corr. 1 - H290 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410			<b>548/EEC or 1999/45/EC)</b> N;R50.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures		
4.1. Description of first aid measures		
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.	
Skin contact	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause respiratory irritation.
Ingestion	May cause discomfort if swallowed.
Skin contact	May cause skin irritation.
Eye contact	May cause eye irritation.
4.3. Indication of any immedi	ate medical attention and special treatment needed
Specific treatments	Seek medical attention if irritation or symptoms persist. Symptomatic treatment
SECTION 5: Firefighting mea	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising f	rom the substance or mixture
Specific hazards	Burning may produce irritating, toxic and obnoxious fumes. Oxides of Carbon, Nitrogen and Sulphur.
5.3. Advice for firefighters	
Special protective equipment	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate
protective for firefighters	clothing.
SECTION 6: Accidental relea	-
	otective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precautio	
	Avoid or minimise the creation of any environmental contamination.
-	containment and cleaning up
	leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other section	ons
Reference to other sections	See section 3,8 & 13 for further information
SECTION 7: Handling and sto	orage
7.1. Precautions for safe han	dling
Usage precautions	Avoid spilling. Avoid contact with skin and eyes.
7.2. Conditions for safe stora	ge, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Contro	Is/personal protection
8.1. Control parameters Occupational exposure	
limits	
PROPAN-2-OL	

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup> WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment		
Eye/face protection	Not relevant.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.	
Other skin and body protection	Use barrier creams to prevent skin contact.	
Hygiene measures	Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.	
Respiratory protection	Not relevant.	
SECTION 9: Physical and C	hemical Properties	
9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
pH Initial boiling point and	6-8	
range 9.2. Other information	100°C @ 760 mm Hg	
Other information	None.	

## Other information

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reactivity

No test data specifically related to reactivity available for this product or its ingredients.

#### 10.2. Chemical stability

Stability 10.3. Possibility of hazardous reactions	Stable at normal ambient temperatures.
Possibility of hazardous reactions 10.4. Conditions to avoid	None known.
Conditions to avoid 10.5. Incompatible materials	Avoid excessive heat for prolonged periods of time.
Materials to avoid 10.6. Hazardous decompositio products	None known. on
Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

**SECTION 11: Toxicological information** 

11.1. Information on toxicol Acute toxicity -	ogical effects	
oral		
ATE oral (mg/kg)	19,607.84	
Ingestion	May cause discomfort if swallowed.	
Skin contact	Skin irritation should not occur when used as recommended.	
Eye contact	Vapour or spray in the eyes may cause irritation and smarting.	
SECTION 12: Ecological Inf	ormation	
Ecotoxicity 12.1. Toxicity	Not regarded as dangerous for the environment.	
Toxicity 12.2. Persistence and degradability	The product is not believed to present a hazard due to its physical nature.	
Persistence and degradability 12.3. Bioaccum ulative potential	The product is biodegradable.	
Bioaccumulative potential	Not known.	
12.4. Mobility in soil		
Mobility 12.5. Results of PBT and vP assessment	The product is soluble in water. vB	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal cons 13.1. Waste treatment	siderations	
methods		
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
SECTION 14: Transport information		
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable. 14.2. UN proper shipping name		
Not applicable.		
14.3. Transport hazard class	<u>s(e</u> s)	
No transport warning sign rec	quired.	
14.4. Packing group		
Not applicable.	5/7	

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

# Transport in bulk according toNot applicable.Annex II of MARPOL73/78 and the IBC Code

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations

#### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information		
Revision date	25/01/2016	
Revision	6	
Supersedes date	03/11/2015	
SDS number	J8S	
Risk phrases in full	Not classified. R11 Highly flammable. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R36 Irritating to eyes. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms. R67 Vapours may cause drowsiness and dizziness.	

Hazard statements in full	H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation.
	H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. How ever, no w arranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.