

Pakex (UK) Plc, No 1, Prime Point, Bessemer Road, Welwyn Garden City, Herts, AL7 1FE Tel: 01707 384858 Fax: 01707 332838 web : <u>www.pakexuk.com</u>

SAFETY DATA SHEET

SUPER GRAFFITI REMOVER

Page: 1

Compilation date: 11th May 2015

Revision date: 19th May 2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SUPER GRAFFITI REMOVER

Product code: LB

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: A liquid blend of solvents for graffiti removal. Effective against a wide range of inks

and paints.

1.3. Details of the supplier of the safety data sheet

Pakex (UK) Plc,
No 1, Prime Point,
Bessemer Road,
Welwyn Garden City,
Herts,
AL7 1FE

Tel: 01707 384858

Fax: 01707 332838

Email: sales@pakexuk.com

1.4. Emergency telephone number

Section 2: Hazards identification

2.2. Label elements

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 2: H411; Eye Dam. 1: H318; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin

Sens. 1: H317

Most important adverse effects: Flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction.

Causes serious eye damage. Toxic to aquatic life with long lasting effects.

Label elements:	
Hazard statements:	H226: Flammable liquid and vapour.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H411: Toxic to aquatic life with long lasting effects.

SUPER GRAFFITI REMOVER

Signal words: Danger Hazard

pictograms: GHS02: Flame

GHS05: Corrosion

GHS07: Exclamation mark

GHS09: Environmental



Precautionary statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. P264: Wash hands thoroughly after handling. P273: Avoid release to the environment. P280: Wear protective gloves/eye protection/face protection. P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

2-(2-BUTOXYETHOXY)ETHANOL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
203-961-6	112-34-5	-	Eye Irrit. 2: H319	10-30%

(R)-P-MENTHA-1, 8-DIENE

227-813-5	5989-27-5	-	Flam. Liq. 3: H226; Aquatic Acute 1:	10-30%
			H400; Aquatic Chronic 1: H410; Skin	
		Irrit. 2: H315; Skin Sens. 1: H317; Asp.		
			Tox. 1: H304	

GAMMA BUTYROLACTONE

	202-509-5	96-48-0	-	Acute Tox. 4: H302; Eye Irrit. 2: H319	5-10%
--	-----------	---------	---	--	-------

N-METHYL-2-PYRROLIDONE

212-828-1	872-50-4	-	Repr. 1B: H360D; Eye Irrit. 2: H319;	1-5%
			STOT SE 3: H335; Skin Irrit. 2: H315	

SUPER GRAFFITI REMOVER

Page: 3

C9-11 ALCOHOL ETHOXYLATE	WITH 6.5MEO				
- 68439-45-2	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-5%		
C9-11 ALCOHOL ETHOXYLATE	WITH 3MEO				
- 68439-45-2	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-5%		
ection 4: First aid measures					
4.1. Description of first aid me	asures				
Skin contact:	Remove all contaminated clothes and f	ootwear immediately unless stuck to skin.			
	Wash immediately with plenty of soap	and water.			
Eye contact:	Bathe the eye with running water for 1	5 minutes. Transfer to hospital for			
	specialist examination.				
Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre					
	of water to drink immediately. Consult a doctor.				
Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.					
4.2. Most important symptoms a	nd effects, both acute and delayed				
Skin contact:	There may be irritation and redness at	the site of contact.			
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe				
	pain. The vision may become blurred. May cause permanent damage.				
Ingestion:	tion: There may be soreness and redness of the mouth and throat. Nausea and				
	stomach pain may occur.				
Inhalation:	There may be irritation of the throat with a feeling of tightness in the				
Delayed / immediate effects:	chest. Immediate effects can be expected after short-term exposure.				
4.3. Indication of any immedia	te medical attention and special treatr	nent needed			
Immediate / special treatment:	Eye bathing equipment should be availa	ble on the premises.			
ection 5: Fire-fighting measu	res l				
5.1. Extinguishing media					
Extinguishing media:	Suitable extinguishing media for the sur	rounding fire should be used. Use water spray			
	to cool containers.	2			
5.2. Special hazards arising fro					
Exposure hazards:	In combustion emits toxic fumes.				
5.3. Advice for fire-fighters					
	Wear self-contained breathing apparatu	s. Wear protective clothing to prevent contact			
J		. 5 F			

Section 6: Accidental release measures

SUPER GRAFFITI REMOVER

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see

section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the

area. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2-(2-BUTOXYETHOXY)ETHANOL

Workplace exposure limits:

orkplace ex	posure limits:		Respirable dust	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	67.5 mg/m3	101.2 mg/m3	-	

N-METHYL-2-PYRROLIDONE

UK 40 mg/m3 80 mg/m3

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

SUPER GRAFFITI REMOVER

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Mild Citrus

Solubility in water: Not miscible

Flash point °C: 56

Relative density: 0.97

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

Page: 5

SUPER GRAFFITI REMOVER

Page: 6

2-(2-BUTOXYETHOXY)ETHANOL

ORL	MUS	LD50	6050	mg/kg
ORL	RAT	LD50	4500	mg/kg

(R)-P-MENTHA-1, 8-DIENE

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

GAMMA BUTYROLACTONE

ORAL	RAT	LD50	1540	mg/kg

N-METHYL-2-PYRROLIDONE

ORL	MUS	LD50	5130	mg/kg
ORL	RAT	LD50	7	gm/kg
SCU	RAT	LD50	>2	gm/kg

C9-11 ALCOHOL ETHOXYLATE WITH 6.5MEO

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>300<2000	mg/kg

C9-11 ALCOHOL ETHOXYLATE WITH 3MEO

ORAL RAT LD50 >2000 mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.			
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe			
	pain. The vision may become blurred. May cause permanent damage.			
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and			
	stomach pain may occur.			
Inhalation:	There may be irritation of the throat with a feeling of tightness in the			
Delayed / immediate effects:	chest. Immediate effects can be expected after short-term exposure.			
Section 12: Ecological information	Section 12: Ecological information			

SUPER GRAFFITI REMOVER

Page: 7

12.1. Toxicity

Hazardous ingredients:

(R)-P-MENTHA-1, 8-DIENE

Daphnia magna	48H EC50	0.4 mg/l
FISH	96H LC50	0.7 mg/l

C9-11 ALCOHOL ETHOXYLATE WITH 6.5MEO

FISH	96H LC50	1-10	mg/l
<u>.</u>			3

C9-11 ALCOHOL ETHOXYLATE WITH 3MEO

	FISH	96H LC50	1-10	mg/l
--	------	----------	------	------

12.2. Persistence and degradability

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation complies(comply) with

the biodegradability criteria as laid down in regulation (EC) No.648/2004 on

detergents. Data to support this assertion are held at the disposal of the competent

authorities of the Member States and will be made available to them, at their direct

request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

SUPER GRAFFITI REMOVER

Page: 8

14.1. UN number

UN number: UN1993

14.2. UN proper shipping name

Shipping name: FLAMMABLE LIQUID, N.O.S.

((R)-P-MENTHA-1, 8-DIENE)

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (known as 'CHIP 4') which closely follows the European Commissions labeling guide (Annex VI to Directive 67/548/EEC). Dangerous Preparations Directive (1999/45/EC). European Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures (known as 'CLP'). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 aligned with ADR. Workplace Exposure Limits EH40.2005 (2nd edition published 2011). REACH: Regulation 1907/2006/EC effective June 1st , 2007. The raw materials used in this preparation have been pre-registered in accord with the requirements of REACH.

Marine pollutant: No

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

SUPER GRAFFITI REMOVER

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H360D: May damage the unborn child.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all

inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. Page: 9