

Pakex (UK) Plc, No 1, Prime Point, Bessemer Road, Welwyn Garden City, Herts, AL7 1FE
Tel: 01707 384858 | Fax: 01707 332838 | Email: sales@pakexuk.com ∫ web: www.pakexuk.com

# SAFETY DATA SHEET CLEENOL BLUE LABEL WASHAID

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name CLEENOL BLUE LABEL WASHAID

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data

sheet

Supplier Pakex (UK) Plc

1 Prime Point Bessemer Road Welwyn Garden City

Herts AL7 1FE

Tel: +44 (0)1707 384858 Fax: +44 (0)1707 332838 sales@pakexuk.com

## 1.4. Emergency telephone number

Emergency telephone UK

Poisons Information Specialist National Poisons Information Service

Birmingham B18 7QH

Tel: +44 (0)121 507 5122

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

**Health hazards** Skin Corr. 1A - H314 Eye Dam. 1 - H318

Environmental hazards Not Classified

## **CLEENOL BLUE LABEL WASHAID**

Classification (67/548/EEC or C;R35. 1999/45/EC)

# 2.2. Label elements

#### **Pictogram**



Signal word Danger

**Hazard statements** H314 Causes severe skin burns and eye damage.

**Precautionary statements** P260 Do not breathe vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see medical advice on this label).

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with national regulations.

Contains SODIUM HYDROXIDE

2.3. Other hazards

Other Hazards No data available

# SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

SODIUM HYDROXIDE 5-10%

CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-

2119457892-27-XXXX

Classification (67/548/EEC or 1999/45/EC)

Skin Corr. 1A - H314 C;R35

Eye Dam.1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

# **SECTION 4: First aid measures**

4.1. Description of first aid

measures

Inhalation Remove affected person from source of contamination. Keep affected person warm and at

 $rest. \ Get \ medical \ attention \ immediately.$ 

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention immediately.

Revision date: 11/01/2017 Revision: 11 Supersed es date: 09/02/2016

## **CLEENOL BLUE LABEL WASHAID**

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after

washing.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention

immediately. Continue to rinse.

### 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** May be harmful if inhaled.

**Ingestion** May be harmful if swallowed.

**Skin contact** May cause serious chemical burns to the skin.

**Eye contact** May cause serious eye damage.

# 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Seek medical attention if irritation or symptoms persist. Symptomatic treatment

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

## 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Burning may produce irritating, toxic and obnoxious fumes.

Oxides of Carbon, Nitrogen and Sulphur.

# 5.3. Advice for firefighters

Special protective equipment

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate

protective

for firefighters clothing.

# **SECTION** 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

# 6.2. Environmental precautions

Environmental precautions Avoid or minimise the creation of any environmental contamination.

## 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Do not touch or walk into spilled material. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.

## 6.4. Reference to other sections

Reference to other sections See section 3,8 & 13 for further information

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

Revision date: 11/01/2017 Revision: 11 Supersed es date: 09/02/2016

# **CLEENOL BLUE LABEL WASHAID**

Storage class 7.3. Specific end Corrosive storage.

use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

## **SECTION 8: Exposure Controls/personal protection**

#### 8.1. Control parameters

Occupational exposure

limits

## SODIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m3

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

## 8.2. Exposure controls

# Protective equipment





Appropriate engineering

controls

Avoid inhalation of vapours. Observe any occupational exposure limits for the product or

ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or

face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Provide eyew ash station and safety shower. Do not smoke in work area. Wash hands at the Hygiene measures

> end of each work shift and before eating, smoking and using the toilet. Wash promptlyif skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When

using do not eat, drink or smoke.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

# **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** Liquid.

Colour Colourless.

Odour Characteristic.

12-14 Ha

Initial boiling point and

100°C @ 760 mm Hg range

1.25 @ 20°C Relative density

Soluble in water. Solubility(ies)

9.2. Other information

Revision date: 11/01/2017 Revision: 11 Supersedes date: 09/02/2016

# **CLEENOL BLUE LABEL WASHAID**

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

**Reactivity** No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

10.3. Possibility of hazardous

reactions

Possibility of hazardous Under normal conditions of storage and use, no hazardous reactions will occur.

reactions

10.4. Conditions to

avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with acids.

10.5. Incompatible

materials

Materials to avoid None known.

10.6. Hazardous decomposition

products

Hazardous

**decomposition** Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

products

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Inhalation May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

Ingestion May cause burns in mucous membranes, throat, oesophagus and stomach.

**Skin contact** May cause serious chemical burns to the skin.

Eye contact Causes burns.

## **SECTION 12: Ecological Information**

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Not available.

12.4. Mobility in soil

**Mobility** The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects None known.

## **CLEENOL BLUE LABEL WASHAID**

## **SECTION 13: Disposal considerations**

13.1. Waste treatment

methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

# **SECTION 14: Transport information**

## 14.1. UN number

**UN No. (ADR/RID)** 1760

**UN No. (IMDG)** 1760

**UN No. (ICAO)** 1760

14.2. UN proper shipping

name

Proper shipping name

(ADR/RID)

CORROSIVE LIQUID, NOS

Proper shipping name

rroper snipping name

(IMDG) CORROSIVE LIQUID, NOS

Proper shipping name

(ICAO) CORROSIVE LIQUID, NOS

Proper shipping name (ADN) CORROSIVE LIQUID, NOS

## 14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID label 8

IMDG class 8

ICAO class/division 8

## Transport labels



# 14.4. Packing

group

ADR/RID packing group 66(b)

IMDG packing group

ICAO packing group

## 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

Emergency Action Code 2X

Hazard Identification

Number 80

(ADR/RID)

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

## **SECTION 15: Regulatory information**

Revision date: 11/01/2017 Revision: 11 Supersed es date: 09/02/2016

## **CLEENOL BLUE LABEL WASHAID**

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009)

No. 716).

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Guidance Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

Safety Data Sheets for Substances and Preparations

Approved Classification and Labelling Guide (Sixth edition) L131.

# 15.2. Chemical safety assessment

#### **SECTION 16: Other information**

Revision date 11/01/2017

Revision 11

Supersedes date 09/02/2016

SDS number A6

Risk phrases in full R35 Causes severe burns.

Hazard statements in full H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.